

January 15, 2024 USED & STOCK EQUIP

Biglerville, PA • 800-345-3546 | Bellevue, OH/Peru, IN • 800-848-8460 | Sikeston, MO • 573-475-9496



2013 AGCO SpraCoupe 4460, 1335.6 hrs., Perkins 1104-D 4-cylinder 125 hp diesel engine, Allison 2100 RDS 5-speed auto. trans., 400 gal. poly tank, 40/60 ft booms with rubber hose, 20/30 in. nozzle spacing, 5-section shutoff valve, parallel swathing, Ag Leader Versa display, Raven chemical injection, foam marker, Floodlight Kit, A/C, AM/FM radio, air ride seat, front tires (70% remains), rear tires (80% remains). Includes Front and Rear Extension Kit for 120 in. centers. Trans. rebuilt in 2018. One owner, farmer owned. Excellent condition!

SN: AGCS4460CDN8A1052 (PA) **U1581**



2012 AGCO RoGator 1100, 5035 hours, AGCO Power T4 8.4L 370 hp diesel engine, 1100 gal. SS tank, 100 ft booms with SS boom lines, 10 in. nozzle spacing, 5-way nozzles body, 7-section shutoff valve, Raven Viper Pro, AutoSteer, AccuBoom, A/C, AM/FM radio, air ride seat, 380/90R46 tires (30% remains).

SN: AGCA1100PCNSL1037 (PA) U1545



2017 GVM E330NT Prowler, 2225 hrs., Cummins QSL8.9, 330 hp diesel engine, Funk DF250 11-speed powershift trans., 99 in. axles, 1800-gallon SS tank, 200-gallon freshwater tank, 120 ft booms with SS boom lines, 20 in. nozzle spacing, 5-way body nozzles, 9-section shutoff, Raven Viper 4, Raven Phoenix 600S, combo ready, 380/90R46 4.5 in. offset Trelleborg tires (60% remains).

SN: CS-17330NT1004 (OH) **U1575**



2012 New Leader 5 ft. Multiplier Insert, 5 ft multi-product insert, fits in New Leader spreader, 304 SS, 143 cu. ft capacity. Insert is in good condition.

SN: 125102 (PA) **U1534A**



New Leader L3220G4, Model L4258G4 spreader bed, 409SS, Raven controls, for Rogator Self Propelled Machines.

SN: 134463 (OH) **U1560**



2013 GVM 5 ft. Fusion Insert, 5 ft multi-product insert, fits in GVM Double Duty spreader, 304 SS, 143 cu. ft capacity. Insert is in good condition.

(Houston, MO) BROKERED



2015 GVM 8.0T Double Duty FR Pull Spreader, 409 SS GVM Double Duty 8.0-ton 10 ft. spreader body, fusion ready, Raven ISObus compatible with any VT terminal, 10 ft x 102 in. wide, 250 ft³ capacity, Cable-Lok roll tarp, 120 in. track frame assembly, (2) 380/95R46 Trelleborg tires (70% remains), includes Scale-Tec (4) load cell system with monitor.

SN: PS-1580TF1003 (PA) **U1561**



2009 GVM 9275 Prowler, 8954 hrs., Cummins QSB6.7, 275 hp diesel engine, Funk 10-speed trans., painted 409 SS New Leader L3220G4 9.0T spreader body, Raven Viper Pro with SmartTrax, AutoSteer, A/C, AM/FM radio, air ride seat, roll tarp, rear fenders, 380/90R46 BKT tires (60% remains).

SN: RC-099909T1062 (PA) U1566



2012 GVM E275 Prowler, 3685 hours, Cummins QSB6.7 275 hp diesel engine, auto. ZF WG210 powershift trans. reman 07/2023, 120 in. axles, painted 409 SS New Leader L3220G4 9T spreader with insert, Viper Pro, parallel swathing, Raven Viper Pro, Novatel receiver, RGL 600 Light Bar, A/C, AM/FM radio, air ride seat, front fenders, 380/90R46 Goodyear row crop tires (40% remains), includes set of 680/55R42 floater tires.

SN: CS-12275IX1005 (OH) **U1559**



2015 GVM E325 Prowler, 3943 hrs., Cummins QSL 8.9L 325 hp diesel engine, 1010 ft-lb torgue, auto. ZF WG 210 6-speed powershift trans, 99 in. axles, variable coil spring suspension, combo ready, painted 409 SS New Leader L4000G4 spreader body, bin level sensor, rear camera, Raven Viper Pro, reverse pitch fan, A/C, AM/FM radio, air ride seat, Firestone 380/90R46 tires.

SN: CS-15325NT1004 (PA) **U1572**



2015 GVM E325 Prowler, 3846 hrs. Cummins QSL 8.9L 325 hp diesel engine, 1010 ft-lb torgue, auto. ZF WG 210 6-speed powershift trans, 114 in. axles, variable coil spring suspension, combo ready, painted 409 SS New Leader L4000 spreader body, bin level sensor, rear camera, Ag Leader InCommand 1200, Ag Leader SteerCommand, reverse pitch fan, A/C, AM/FM radio, air ride seat, Firestone 380/90R46 tires. Transmission remanned in 2021.

SN: CS-15325XI1030 (PA) **U1564**



2015 GVM E325 Prowler, 3800 hrs., Cummins QSL 8.9L 325 hp diesel engine, 1010 ftlb torgue, auto. ZF WG 210 6-speed powershift trans, 114 in. axles, variable coil spring suspension, combo ready, painted 409 SS GVM 11.0T Double Duty spreader body, rear camera, Raven Viper Pro, SmarTrax, AutoSteer, reverse pitch fan, A/C, AM/FM radio, air ride seat, Trelleborg 380/90R46 tires.

SN: CS-15325XI1034 (PA) **U1577**



2017 GVM E330AA Prowler. 5300 hrs., Cummins Tier 3 OSL 9L 330 hp turbo diesel engine, Funk DF250 11-speed powershift trans., AxleTech adjustable axles, 409 SS New Leader L4000G4 10-ton spreader, Raven Viper 4, A/C, AM/FM radio, air ride seat, beacon lights, CleanFix fan, Firestone VF380/90R46 tires (40% remains).

SN: CS-17330AA1008 (PA) **U1580**



2020 GVM T380 Prowler, 1841 hrs., Cummins QSL9 380 hp turbo diesel engine, Funk DF250 4x4 powershift 11-speed auto. trans., Dromos adjustable axles rated @ 34,000 lb., 4WS, sprayer combo joystick, reverse pitch fan, 304SS GVM 11.0T Double Duty TR4 spreader body with reverse rotating spinners, 4-section shutoff, bulkhead window, Raven Viper 4 with RS-1 ISO steering receiver, A/C, AM/FM/BT radio, air ride seat, window tint, electric roll tarp, front fenders, 480/80R50 Alliance tires. EPG warranty options available.

SN: CS-20380XAA1044 (MO) **U1528**



2020 GVM T380 Prowler, 1305 hrs., Cummins QSL9 380 hp turbo diesel engine, Funk DF250 4x4 powershift 11-speed auto. trans., Dromos axles rated @ 34,000 lb., 4WS, 304SS GVM 11.0T Double Duty SR1 spreader body with reverse rotating spinners, 1-section shutoff, bulkhead window, bin level sensor, 124 in. fenders, Raven Viper 4 with RS-1 ISO steering receiver, A/C, AM/FM/BT radio, air ride seat, roll tarp, front fenders, 380/90R46 row crop tires (80% remains). Includes remainder of 3-yr/3000 hrs. EPG Premier Warranty.

SN: CS-203804WT1047 (MO) **U1548**



2021 GVM T325 Prowler, 1120 hrs., Cummins B6.7L 325 hp turbo diesel engine, Funk DF250 4x4 powershift 11-speed auto. trans., Dromos axles rated @ 34,000 lb., 4WS, 304SS GVM 11.0T Double Duty SR1 spreader body with reverse rotating spinners, 1-section shutoff, bulkhead window, 124 in. fenders, Raven Viper 4+ with RS-1 ISO steering receiver, RGL 600 light bar, A/C, AM/FM/BT radio, air ride seat, window tint, roll tarp, 380/90R46 row crop tires (50% remains). Includes remainder of 3-yr/3000 hrs. EPG Premier Warranty.

SN: CS-213254WT1057 (PA) **U1539**



2011 Ag Chem Rogator 1396, 4905 hrs., Caterpillar 365 hp diesel engine, hydrostatic trans., painted 409SS AGCO Airmaxx spreader 200 ft3, 60 ft booms, A/C, AM/FM radio, 380/90R46 tires (30% remains).

SN: AGCA1396KNWMO1124 (MO) **U1578**



2012 AGCO Rogator 1100, 5059 hours, AGCO Power T4 8.4L hydrostatic 330 hp diesel engine, 304 SS New Leader L3220G4 9.0T spreader body, Ag Leader Integra, AutoSteer, A/C, AM/FM radio, air ride seat, floater tires (30% remains).

SN: AGCA1100CCH001219 (OH) U1567



2015 AGCO Rogator RG1300B, 2800 hours, AGCO diesel turbo engine, 4-speed hydrostatic auto. trans., AGCO adjustable axles, 4WS, painted 409SS New Leader L4000G4 spreader body, Raven Viper Pro, AutoSteer, A/C, AM/FM radio, air ride seat, 380/90R46 tires, front (50% remains) rear (45% remains). New roller, bearings, and straight belt.

SN: AGCA1300PFNSN1093 (PA) **U1579**



2021 John Deere 5075E, 906 hours, 75 hp diesel engine, TSS transmission, 2WD, power steering, 1-point hydraulic hook-up, 540 PTO, ROPS, front 7.50-16SL rear 16.9-28 tires (75% remains). Well maintained and field ready!

SN: 1PY5075ETJJ104359 (PA) **U1573**



Crenlo Genesis Cab, Brand new cabs made for 1996-2014 GVM Prowlers. Will fit all Rowcats, 1149/9909T and 9275 Prowlers. Can also fit New Holland Genesis series tractors with modifications. (PA)



2019 Cummins **QSL9 Diesel** Engine, Used Cummins engine, 6 cylinder, 9L, 350 hp at 2100 rpm. (PA) U1558

PART NO.	DESCRIPTION	QTY	PRICE
W38-13300	Rim 38 x 12 11/16 in. offset (front)	2	\$566
W-619060R	Rim W14 x 16.1	2	\$73
42-01160 (PA)	Assy., Dash Panel Electronic 2004	3	\$1,327
117-0138-050	Auto Boom Kits	1	\$9459.21





2023 GVM T380 Prowler, Cummins QSL9 380 hp turbo diesel engine, HVT R2 trans. with joystick control, Meritor axles, 2WS, 304SS GVM 11.0T Double Duty SR1 spreader body with reverse rotating spinners, 1-section shutoff, bulkhead window, 124 in. fenders, Raven Viper 4 with RS-1 ISO steering receiver, A/C, AM/FM/BT radio, air ride seat, roll tarp, front fenders, 380/90R46 Trelleborg row crop tires. Includes 3-yr/3000 hrs. EPG Premier Warranty.

SN: CS-233802WT1084 (OH) ON RENT



2022 Newton Crouch NC5000, 5 ton, 163 cu. ft. capacity, designed for fertilizer spreading, 50 ft spread pattern, 304 SS hull, dishes, inverted vee, blades and conveyor, trailer painted blue powder coat, trailer frame reinforced of 2 x 6 inch tube, 7 in. conveyor chain, dual 19 in. dishes with 6 blades, universal joint on spinner drive shaft, ground driven conveyor, 6 bolt hubs, 7000 lb drop leg tongue jack, braided nylon rope pull, 540 PTO drive with twin spinners, 6 leaf and double eye springs, roll tarp fitted with stainless tarp bow, 11L x 15 – 8 ply tires.

SN: 11-22-13535 & 11-22-13533 (PA)



2022 Newton Crouch NC5000N, 5 ton, 163 cu. ft. capacity, designed for fertilizer spreading, narrow track with 61.5 in. wheel centers, 50 ft spread pattern, 304 SS hull, dishes, inverted vee, blades and conveyor, trailer painted blue powder coat, trailer frame reinforced of 2 x 6 inch tube, 7 in. conveyor chain, dual 19 in. dishes with 6 blades, universal joint on spinner drive shaft, ground driven conveyor, 6 bolt hubs, 7000 lb drop leg tongue jack, braided nylon rope pull, 540 PTO drive with twin spinners, 6 leaf and double eye springs, roll tarp fitted with stainless tarp bow, 11L x 15 – 8 ply tires.

SN: 11-22-13542 (PA)



2022 Newton Crouch NC6000, 6 ton, 204 cu. ft. capacity, designed for fertilizer spreading, 50 ft spread pattern, 304 SS hull, dishes, inverted vee, blades and conveyor, trailer painted blue powder coat, trailer frame reinforced of 2 x 6 inch tube, 7 in. conveyor chain, dual 19 in. dishes with 6 blades, universal joint on spinner drive shaft, ground driven conveyor, 8 bolt hubs, 7000 lb drop leg tongue jack, braided nylon rope pull, 540 PTO drive with twin spinners, 5 leaf slipper springs, roll tarp fitted with stainless tarp bow, 16.5L x 16.1 – 10 ply tires. SN: 11-22-13544 (PA)